Field measuring equipment shall be available at all times and the field intensity at each of the monitoring points shall be measured at least once every seven days and an appropriate record kept of all measurements so made.

DESCRIPTION OF AND FIELD INTENSITY AT MONITORING POINTS:

Direction of 17.9° true North. From the transmitter, turn right onto Highway 6 and proceed south approximately 2.8 miles. Turn left onto Santee State Resort Park road, Highway 105. Continue 2.35 miles to an intersection and turn left, remaining on the marked route of Highway 105. Continue approximately 1.8 miles to the intersection with Route 563, Poplar Creek Road, and turn right. Continue 0.4 miles to the point, which lies along the western edge of the road. This is point number 34 of the radial N-17.9° -E, and is located 2.82 miles from the array. The field intensity measured at this point should not exceed 2.77 mv/m.

Direction of 49° true North. From the transmitter, turn right onto Highway 6 and proceed south approximately 2.8 miles. Turn left onto Santee State Resort Park road, Highway 105. Continue 2.35 miles farther to an intersection and turn left, remaining on the marked route of Highway 105. Continue approximately 0.3 mile to the point, which lies approximately 10 paces up a dirt lane leading south from Highway 105. This is point number 20 of the radial N-49°-E, located 2.3 miles from the transmitter. The field intensity measured at this point should not exceed 25.2 mv/m.

Direction of 71.9° true North. From the transmitter, turn right onto Highway 6 and proceed south approximately 2.8 miles. Turn left onto Santee State Resort Park road, Highway 105. Continue 2.35 miles to an intersection and turn right. Continue 0.8 mile to a fork, where the point is located approximately 30 feet west of a gate along the north shoulder of a road leading to lake access and camping facilities. This is point number 22 of the radial N-71.9°-E, and lies 2.6 miles from the array. The field intensity measured at this point should not exceed 2.52 mv/m.

Direction of 242.7° true North. From the transmitter, turn left onto Highway 6 and continue north 1.2 miles to the intersection with State Road 1467. Turn left onto this road and continue 1.1 miles to the intersection with Highway 81. Turn left onto 81 and continue 1.0 mile to an intersection with a gravel road on the right. Turn onto this gravel road and continue 0.1 mile to the point, which is located in the middle of the road immediately south of a small ditch and tree line. This is point number 18 of the radial N-242.7°-E, and lies 1.8 miles from the array. The field intensity measured at this point should not exceed 65 mv/m.

posted 1/5 8

TELEGRAPHIC MESSAGE			710A1
FEDERAL COMMUNICATIONS COMMISSION	ACTION:	SECURITY CLASSIFICA	TION
	INFO:		
ACCOUNTING CLASSIFICATION	DATE PREPARED	FALE	
STRAIGHT WIRE - COLLECT FOR INFORMATION CALL	11-5-86		
NAME	PHONE NUMBER	TYPE OF MESSAGE	T AULTIPU
TAD/ TD /VSD/MMB THIS SPACE FOR USE OF COMMUNICATION UNIT	634-1923	SINGLE [_ BOOK ADDRESS
MESSAGE TO BE TRANSMITTE	O (Use double spacing and all	capital letters)	
RT. 1, BOX 189 SANTEE, S.C. 29142 PHONE 803-854-2671 PURSUANT APPLICATION DATED OCTOBER 3 CHANGED TO WGZS REPEAT WGZS 1986 . THIS TELEGRAM CONSIDERED PAR CONSTRUCTION PERMIT UNTIL AN AUTHORIZA CALL SIGN.	EFFECTIVE AS ORT OF AM STATIATION ISSUED INC	ON LICENSE OR ORPORATING NEW	Ellerae, S.
FOR INTERNAL FCC USE ONLY	VIDEO SERVICES FEDERAL COMMUNI	DIVISION CATIONS COMMISSIO	N
ENG. IN CHARGE DIST. # 6 EMERGENCY COMMUNICATIONS DIV. 840 RECORDS SEC., (2) ROOM 363 DATA MANAGEMENT STAFF ROOM 351 OWNERSHIP ROOM 234 ENFORCEMENT DIVISION ROOM 8210 TECHNICAL & INTERNATIONAL BRANCH ROOM INFORMATION SYSTEMS DIVISION ROOM 244	4 8 112		
EQUAL EMPLOYMENT OPPORTUNITY BRANCH RO		SECURITY CLASSIFICATION OF PGS.	L ION

STASUAGO PORM 14 REVISED 11-80 GSA FPMR (41 CPR) 101-35.306



Call Sign

5000 WATTS 1370 KHZ.

ELLOREE - ORANGEBURG ST. GEORGE - HOLLY HILL MONCKS CORNER - SUMMERVILLE SANTEE

202-254-2671

October 31 198/6

Federal Communications Commission 1919 M St NW Washington, DC 20554

Attention: Call Letters: Room 709

We would like to delete our call letters WMNY and use W G Z S, effective January 1st 1987, or shortly thereafter.

We hereby apply for W G Z S.

If possible please notify us by collect telegram.

Thank you,

Clarence Jones. Owner



11/4/86